Revision: 28.08.2025



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.08.2025 Version number 7 (replaces version 6)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name: FloorPro Care Dispersion RM 784
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.



Keep away from children.

- Application of the substance / the mixture Coating
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Internet: www.karcher.com

· Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

Contains 1,2-benzisothiazol-3(2H)-one, 5-chloro-2-methyl-2H-isothiazol-3-one, triisobutyl phosphate. May produce an allergic reaction.

Safety data sheet available on request.

(Contd. on page 2)



Printing date 29.08.2025 Version number 7 (replaces version 6) Revision: 28.08.2025

Trade name: FloorPro Care Dispersion RM 784

(Contd. of page 1)

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

· Description: Surface protection

Description: Ourlace protection			
Dangerous components:			
CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60-xxxx	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	5-10%	
CAS: 126-71-6 EINECS: 204-798-3 Reg.nr.: 01-2119957118-32-0000	triisobutyl phosphate Skin Sens. 1, H317	≥0.1-<1%	
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	<0.025%	
CAS: 26172-55-4 EINECS: 247-500-7	5-chloro-2-methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%	

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing

Rinse out mouth and then drink plenty of water.

(Contd. on page 3)



Printing date 29.08.2025 Version number 7 (replaces version 6) Revision: 28.08.2025

Trade name: FloorPro Care Dispersion RM 784

(Contd. of page 2)

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: Protect from frost.

(Contd. on page 4)



Printing date 29.08.2025 Version number 7 (replaces version 6) Revision: 28.08.2025

Trade name: FloorPro Care Dispersion RM 784

(Contd. of page 3)

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:			
3459	34590-94-8 Dipropylene glycol monomethyl ether		
IOEI	IOELV Long-term value: 308 mg/m³, 50 ppm		
	Sk	in	
· DNE	DNELs		
34590-94-8 Dipropylene glycol monomethyl ether			
Oral		DNEL	1.67 mg/kg×d (consumer)
Derr	mal	DNEL	65 mg/kg×d (employee)
			15 mg/kg×d (consumer)

· PNECs

34590-94-8 Dipropylene glycol monomethyl ether

37.2 mg/m3 (consumer)

Inhalative DNEL 308 mg/m3 (employee)

PNEC 1.9 mg/l (marine water) 4168 mg/l (STP)

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- Material of gloves Not required.
- · Penetration time of glove material Not required.
- · Eye/face protection Not required.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state Liquid · Colour: White

· Odour: Product specific · Odour threshold: Not determined.

• Melting point/freezing point: 0°C

· Boiling point or initial boiling point and boiling range

undetermined Not applicable.

Flammability

(Contd. on page 5)



Printing date 29.08.2025 Version number 7 (replaces version 6) Revision: 28.08.2025

Trade name: FloorPro Care Dispersion RM 784

	(Contd. of pag
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Auto-ignition temperature:	not applicable
Decomposition temperature:	Not determined.
pH at 20 °C	6.6
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Fully miscible
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.023 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Relative gas density	Not determined.
Particle characteristics	Not applicable.
0.0 Other information	
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health ar	nd
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
· · · · · · · · · · · · · · · · · · ·	
Information with regard to physical hazard class	
Explosives	Void
Flammable gases	Void Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gas	
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides Corrosive to metals	Void Void



Printing date 29.08.2025 Version number 7 (replaces version 6) Revision: 28.08.2025

Trade name: FloorPro Care Dispersion RM 784

(Contd. of page 5)

Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

126-71-6 triisobutyl phosphate
Oral LD50 >5000 mg/kg (Rat)
Dermal LD50 >5000 mg/kg (rabbit)
3811-73-2 sodium pyrithione
Oral LD50 500 mg/kg (ATE)
Dermal LD50 790 mg/kg (ATE)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 29.08.2025 Version number 7 (replaces version 6) Revision: 28.08.2025

Trade name: FloorPro Care Dispersion RM 784

(Contd. of page 6)

- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:		
34590-94-8 Dipropylene glycol monomethyl ether		
LC50/96 h	10000 mg/l (Pimephales promelas)	
EC50/48 h	1919 mg/l (Daphnia magna)	
EC50/96 h (static)	969 mg/l (Pseudokirchneriella subcapitata)	
126-71-6 triisobutyl phosphate		
LC50/96 h	>12.6 mg/l (Brachydanio rerio) (OECD 203)	
EC50/48 h	24 mg/l (Daphnia magna) (OECD 202)	
EC50/72 h	14.3 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	
EC10/72 h	10.4 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	
3811-73-2 sodium pyrithione		
LC50/96 h	0.00767 mg/l (Danio rerio) (OECD 203)	
EC50/48 h	0.022 mg/l (Daphnia magna) (OECD 202)	
EC50/72 h	0.46 mg/l (F29) (OECD 201)	
NOEC	0.08 mg/l // 72 h (F29) (OECD 201)	

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 8)



Printing date 29.08.2025 Version number 7 (replaces version 6) Revision: 28.08.2025

Trade name: FloorPro Care Dispersion RM 784

(Contd. of page 7)

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

20 01 99 other fractions not otherwise specified

- Uncleaned packaging:
- · Recommendation: Do not rinse packaging before disposal.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk according instruments 	y to IMO Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 9)



Printing date 29.08.2025 Version number 7 (replaces version 6) Revision: 28.08.2025

Trade name: FloorPro Care Dispersion RM 784

(Contd. of page 8)

- National regulations
- Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H301	Toxic if swallowed.
H302	Harmful if swallowed

- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

· Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

· Version number of previous version: 6

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

(Contd. on page 10)



Printing date 29.08.2025 Version number 7 (replaces version 6) Revision: 28.08.2025

Trade name: FloorPro Care Dispersion RM 784

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

(Contd. of page 9)

* Data compared to the previous version altered.

· 0·011-314·0 RM 784/7 2·764

EU